	Hits	Search Text	DBs	
1	6	(("5553389") or ("5388057") or ("4977524") or ("4811250") or ("4381548") or ("4774361")).PN.	USPAT	
2	1	("0566239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
3	1	("0769675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4	0	("5-126559").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
5	1	("0566239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
6	1	("0769675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
7	15	4811250.URPN.	USPAT	
8	37	4381548.URPN.	USPAT	
9	33		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
10	0	(((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))) and (automobile near5 frame near5 alignment).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
11	0	<pre>(((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))) and ((car or automobile) near5 (undercarriage or frame) near5 (alignment )).ti,ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

we P

	Hits	Search Text	DBs
12	0	702/\$.ccls. and ((car or automobile) near5 (undercarriage or frame) near5 (alignment )).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	0	702/\$.ccls. and ((car or automobile) and (undercarriage or frame) and (alignment )).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	1	702/\$.ccls. and ((car or automobile) and (undercarriage or frame) and (measure or alignment )).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	180	undercarriage or body) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	16201	(measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/0 9 15:03
2	L2	1327	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/0 9 15:04
3	L3	210	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and (tape near2 measure)	GPUB; EPO; JPO;	2004/03/0 9 15:04
4	L4	14	3 and @pd>=20030723	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/0 9 15:06

٠٠ 🙀